

COMPULINK-USA CAT 6 AND CAT 6A SOLUTIONS



CAT 6A

- Cat 6A, F/UTP, stranded, 26 AWG, CMR rated, with clear boots
- TAA Compliant
- YY=color, 01/white, 02/black, 03/red, 04/green, 05/yellow, 06/blue, 08/orange, 09/gray, 10/violet

CAT 6A BOOTED

	COMPULINK-USA	WESCO
Patch Cord, 1 foot	T3S3S-BOS6AYY-BAS-1FT	MM01-AXC6AS-YYB
Patch Cord, 2 foot	T3S3S-BOS6AYY-BAS-2FT	MM02-AXC6AS-YYB
Patch Cord, 3 foot	T3S3S-BOS6AYY-BAS-3FT	MM03-AXC6AS-YYB
Patch Cord, 4 foot	T3S3S-BOS6AYY-BAS-4FT	MM04-AXC6AS-YYB
Patch Cord, 5 foot	T3S3S-BOS6AYY-BAS-5FT	MM05-AXC6AS-YYB
Patch Cord, 7 foot	T3S3S-BOS6AYY-BAS-7FT	MM07-AXC6AS-YYB
Patch Cord, 10 foot	T3S3S-BOS6AYY-BAS-10FT	MM10-AXC6AS-YYB
Patch Cord, 15 foot	T3S3S-BOS6AYY-BAS-15FT	MM15-AXC6AS-YYB
Patch Cord, 20 foot	T3S3S-BOS6AYY-BAS-20FT	MM20-AXC6AS-YYB
Patch Cord, 25 foot	T3S3S-BOS6AYY-BAS-25FT	MM25-AXC6AS-YYB



CAT 6

- Cat 6, UTP, stranded, 24 AWG, CM rated, with clear boots
- TAA Compliant
- YY=color, 01/white, 02/black, 03/red, 04/green, 05/yellow, 06/blue, 08/orange, 09/gray, 10/violet

CAT 6 BOOTED

	COMPULINK-USA	WESCO
Patch Cord, 1 foot	T3G3G-B06YY-BAS-1FT	MM01-AXC6-YYB
Patch Cord, 2 foot	T3G3G-B06YY-BAS-2FT	MM02-AXC6-YYB
Patch Cord, 3 foot	T3G3G-B06YY-BAS-3FT	MM03-AXC6-YYB
Patch Cord, 4 foot	T3G3G-B06YY-BAS-4FT	MM04-AXC6-YYB
Patch Cord, 5 foot	T3G3G-B06YY-BAS-5FT	MM05-AXC6-YYB
Patch Cord, 7 foot	T3G3G-B06YY-BAS-7FT	MM07-AXC6-YYB
Patch Cord, 10 foot	T3G3G-B06YY-BAS-10FT	MM10-AXC6-YYB
Patch Cord, 15 foot	T3G3G-B06YY-BAS-15FT	MM15-AXC6-YYB
Patch Cord, 20 foot	T3G3G-B06YY-BAS-20FT	MM20-AXC6-YYB
Patch Cord, 25 foot	T3G3G-B06YY-BAS-25FT	MM25-AXC6-YYB

COMPULINK-USA CAT 6 AND CAT 6A 28 AWG SOLUTIONS



CAT 6A SLIM CM/LSZH

- Cat 6A, U/FTP, stranded, 28 AWG, CM/LSZH dual rated with clear boots
- TAA compliant
- YY=color, 01/white, 02/black, 03/red, 04/green, 05/yellow, 06/blue, 08/orange, 09/gray, 10/violet

CAT 6A SLIM CM/LSZH

	COMPULINK-USA	WESCO
Patch Cord, 1 foot	T3N3N-B28SAYY-1FT	MM01-AXC6ASDS-YYB
Patch Cord, 2 foot	T3N3N-B28SAYY-2FT	MM02-AXC6ASDS-YYB
Patch Cord, 3 foot	T3N3N-B28SAYY-3FT	MM03-AXC6ASDS-YYB
Patch Cord, 4 foot	T3N3N-B28SAYY-4FT	MM04-AXC6ASDS-YYB
Patch Cord, 5 foot	T3N3N-B28SAYY-5FT	MM05-AXC6ASDS-YYB
Patch Cord, 7 foot	T3N3N-B28SAYY-7FT	MM07-AXC6ASDS-YYB
Patch Cord, 10 foot	T3N3N-B28SAYY-10FT	MM10-AXC6ASDS-YYB
Patch Cord, 15 foot	T3N3N-B28SAYY-15FT	MM15-AXC6ASDS-YYB
Patch Cord, 20 foot	T3N3N-B28SAYY-20FT	MM20-AXC6ASDS-YYB
Patch Cord, 25 foot	T3N3N-B28SAYY-25FT	MM25-AXC6ASDS-YYB

COMPULINK-USA CAT 6 AND CAT 6A 28 AWG SOLUTIONS (CONTINUED)




CAT 6 SLIM CM/LSZH

- Cat 6, UTP, stranded, 28 AWG, CM/LSZH dual rated, with clear boots
- TAA Compliant
- YY=color, 01/white, 02/black, 03/red, 04/green, 05/yellow, 06/blue, 08/orange, 09/gray, 10/violet

CAT 6 SLIM CM/LSZH	COMPULINK-USA	WESCO
Patch Cord, 1 foot	T3M3M-BO28YY-1FT	MM01-AXC6SD-YY
Patch Cord, 2 foot	T3M3M-BO28YY-2FT	MM02-AXC6SD-YY
Patch Cord, 3 foot	T3M3M-BO28YY-3FT	MM03-AXC6SD-YY
Patch Cord, 4 foot	T3M3M-BO28YY-4FT	MM04-AXC6SD-YY
Patch Cord, 5 foot	T3M3M-BO28YY-5FT	MM05-AXC6SD-YY
Patch Cord, 7 foot	T3M3M-BO28YY-7FT	MM07-AXC6SD-YY
Patch Cord, 10 foot	T3M3M-BO28YY-10FT	MM10-AXC6SD-YY
Patch Cord, 15 foot	T3M3M-BO28YY-15FT	MM15-AXC6SD-YY
Patch Cord, 20 foot	T3M3M-BO28YY-20FT	MM20-AXC6SD-YY
Patch Cord, 25 foot	T3M3M-BO28YY-25FT	MM25-AXC6SD-YY

PERFORMANCE PLUS FIBER ASSEMBLIES




PERFORMANCE PLUS

- 2 strand, 1.6mm OD, OFNP rated, zip cord
- TAA Compliant
- ST, FC and MTRJ combinations also available

FIBER ASSEMBLY	OM3		OM4		OS2	
	COMPULINK-USA	WESCO	COMPULINK-USA	WESCO	COMPULINK-USA	WESCO
LC-LC						
1 METER	P2J50-2-5B5BT-1M	677748	P2J54-2-5B5BT-1M	677774	P2J83-2-5B5BT-1M	677800
2 METER	P2J50-2-5B5BT-2M	677749	P2J54-2-5B5BT-2M	677775	P2J83-2-5B5BT-2M	677801
3 METER	P2J50-2-5B5BT-3M	677750	P2J54-2-5B5BT-3M	677776	P2J83-2-5B5BT-3M	677802
5 METER	P2J50-2-5B5BT-5M	677752	P2J54-2-5B5BT-5M	677778	P2J83-2-5B5BT-5M	677803
7 METER	P2J50-2-5B5BT-7M	677754	P2J54-2-5B5BT-7M	677780	P2J83-2-5B5BT-7M	677804
10 METER	P2J50-2-5B5BT-10M	677756	P2J54-2-5B5BT-10M	677782	P2J83-2-5B5BT-10M	677805
LC-SC						
1 METER	P2J50-2-5B77T-1M	677761	P2J54-2-5B77T-1M	677787	P2J83-2-5B77T-1M	677807
2 METER	P2J50-2-5B77T-2M	677762	P2J54-2-5B77T-2M	677788	P2J83-2-5B77T-2M	677808
3 METER	P2J50-2-5B77T-3M	677763	P2J54-2-5B77T-3M	677789	P2J83-2-5B77T-3M	677809
5 METER	P2J50-2-5B77T-5M	677765	P2J54-2-5B77T-5M	677791	P2J83-2-5B77T-5M	677810
7 METER	P2J50-2-5B77T-7M	677767	P2J54-2-5B77T-7M	677793	P2J83-2-5B77T-7M	677811
10 METER	P2J50-2-5B77T-10M	677769	P2J54-2-5B77T-10M	677795	P2J83-2-5B77T-10M	677812
SC-SC						
1 METER	P2J50-2-7777T-1M	10215904	P2J54-2-7777T-1M	965558	P2J83-2-7777T-1M	965568
2 METER	P2J50-2-7777T-2M	10215905	P2J54-2-7777T-2M	965559	P2J83-2-7777T-2M	965569
3 METER	P2J50-2-7777T-3M	10215906	P2J54-2-7777T-3M	965560	P2J83-2-7777T-3M	965570
5 METER	P2J50-2-7777T-5M		P2J54-2-7777T-5M	965561	P2J83-2-7777T-5M	965571
7 METER	P2J50-2-7777T-7M		P2J54-2-7777T-7M		P2J83-2-7777T-7M	
10 METER	P2J50-2-7777T-10M		P2J54-2-7777T-10M	965562	P2J83-2-7777T-10M	965572

VALUE LINE FIBER ASSEMBLIES



VALUE LINE

- 2 strand, 2.0mm OD, OFNR rated, LC-LC, LC-SC, zip cord
- SC and ST connector combinations also available

VALUE LINE FIBER

LC-LC	OM4		OS2	
	COMPULINK-USA	WESCO	COMPULINK-USA	WESCO
1 METER	OM4LCLC-1M	894194	OS2LCLC-1M	894209
2 METER	OM4LCLC-2M	894195	OS2LCLC-2M	894210
3 METER	OM4LCLC-3M	894196	OS2LCLC-3M	894211
5 METER	OM4LCLC-5M	894197	OS2LCLC-5M	894212
7 METER	OM4LCLC-7M	894198	OS2LCLC-7M	894213
10 METER	OM4LCLC-10M	894199	OS2LCLC-10M	894215
LC-SC				
1 METER	OM4LCSC-1M	894204	OS2LCSC-1M	894221
2 METER	OM4LCSC-2M	894205	OS2LCSC-2M	894222
3 METER	OM4LCSC-3M	894206	OS2LCSC-3M	894223
5 METER	OM4LCSC-5M	894207	OS2LCSC-5M	894224
10 METER	OM4LCSC-10M	894208	OS2LCSC-10M	894225

PERFORMANCE PLUS EZ-FLIP UNIBOOT FIBER ASSEMBLIES




UNIBOOT FIBER ASSEMBLY

- 2 strand, 2.0mm round, OFNP rated, LC-LC
- TAA Compliant

LC-LC	LC-LC OS2		LC-LC OM4	
	COMPULINK-USA	WESCO	COMPULINK-USA	WESCO
1 METER	P2X83-2-5X5XT-1M		P2X54-2-5X5XT-1M	
2 METER	P2X83-2-5X5XT-2M		P2X54-2-5X5XT-2M	
3 METER	P2X83-2-5X5XT-3M		P2X54-2-5X5XT-3M	
5 METER	P2X83-2-5X5XT-5M		P2X54-2-5X5XT-5M	
7 METER	P2X83-2-5X5XT-7M		P2X54-2-5X5XT-7M	
10 METER	P2X83-2-5X5XT-10M		P2X54-2-5X5XT-10M	

PERFORMANCE PLUS PIGTAILS



FIBER OPTIC PIGTAILS

- Support both fusion and mechanical splicing for fiber cabling systems
- 12-fiber color-coded pigtail kits per ANSI/TIA-598-D-1
- Easy-strip 900 µm buffered fiber

FIBER ASSEMBLY LC-LC	OM3		OM4		OS2	
	COMPULINK-USA	WESCO	COMPULINK-USA	WESCO	COMPULINK-USA	WESCO
LC, Individual Pigtails	P9J50-1-5A00BUF-3M		P9J54-1-5A00BUF-3M		P9J83-1-5A00BUF-3M	
LC, 12-Fiber Color-Coded Pigtail Kit	PK12LCPCOM3-3M		PK12LCPCOM4-3M	10002763	PK12LCUPCOS2-3M	10002764
SC, Individual Pigtails	P9J50-1-7000BUF-3M		P9J54-1-7000BUF-3M		P9J83-1-7000BUF-3M	
SC, 12-Fiber Color-Coded Pigtail Kit	PK12SCPCOM3-3M		PK12SCPCOM4-3M		PK12SCUPCOS2-3M	

CUSTOM FIBER ARRAY AND TRUNK CONFIGURATOR


FIBER COUNT	FIBER TYPE	CABLE RATING	CABLE TYPE	TERMINATION		UNIT OF MEASURE	LENGTH	POLARITY
002-288	8.2/125 µm SM	Plenum LSZH	SIMPLEX 2.0 MM	FIRST END	SECOND END	Meters (M) Feet (F)	0010-3000*	Standard A-B (B-A) A-A (BA-BA)
	OS2 Yellow		DUPLEX ZIPCORDER	ST	ST			
	62.5/125 µm MM		1.6 MM	SC	SC			
	OM1 Orange		DUPLEX ROUND	LC	LC			
	50/125 µm LO		2.0 MM	SC/APC	SC/APC			
	10G-300m MM			LC/APC	LC/APC			
	OM3 Aqua			LC Unibody	LC Unibody			
	50/125 µm LO			FC	FC			
	10G-550m MM			FC/APC	FC/APC			
	OM4 Aqua				No Connector			

Please contact your CompuLink-USA representative for part numbers and pricing.

*E.g. 0010 = 001.0 Units
0015 = 001.5 Units
0150 = 015.0 Units

Notes on length:

Min FEET increment: 1-FT
Lengths > 1-FT: User can select 0.6-Inch increments
Min METER increment: 0.2-M
Lengths > 0.2 M User can select 0.2 M increments
After 49-FT/15 M longer lead times may apply for fractional lengths



PERFORMANCE PLUS COAX ASSEMBLIES



100% tested PIM and VSWR verified on Kaelus SI-1900E

- Serialized marker band includes PIM rating & website for individual test records
- Plenum Rated (CMP)
- Assembled in USA
- Standard 1, 2, 3, & 5 mtr. and custom lengths available

THE COMPULINK-USA DIFFERENCE

COMPETITIVE COST

CompuLink-USA has reduced the lead time from weeks to days while providing the same level of performance, all at a price lower than brand name solutions. CompuLink delivers:

- Aggressive component sourcing
- Project pricing
- Lower labor cost achieved through automation

RAPID DELIVERY

Don't let the three to six week lead times of traditional suppliers slow down the deployment of your healthcare facility project. CompuLink-USA offers:

- Exceptional lead times
- Outstanding responsiveness
- Flexibility
- Same-day shipping available
- Global shipping capability

HIGH QUALITY

Compatible with almost all chassis and modules, our fiber cables save both time and money without sacrificing performance.

25 Year Limited Warranty